


6/11/80

Vehicle #	Last Charged	Mileage	Present Mileage	miles
1808	12, 6, 79	194.0	✓	—
1809	1, 30, 80	9059	15826	67.67 ok
1810	1, 22, 79	27123	38711	11508 ok
1811	Just Recined			
1812	1, 16, 80	48861	53542	3675 ok
1813	1, 31, 80	38524	43785	5261 ok
1814	1, 17, 80	57157	63324	6167 ok
1815	3, 25, 80	89475	—	
1816	2, 14, 80	40142	42336	—
1817	2, 26, 80	2513	4965	—
1818	10, 31, 79	22856	23109	253
1819	2, 5, 80	5639	6689	—
1820	2, 20, 80	30070	30493	423
2114	Just Recined			
2115	8, 14, 79	7239	13623	6334 ok
2079	8			—
2086	2, 1, 80	31373	—	
2081	11, 16, 79	21525	26843	7318
4893	—	—		
1589				
1598				
55.48				
55.49				



- 5 12 80 9532 4 tires  
6 9 80 9034 4 tires  
6 23 80 9079 1 tire  
7 8 80 9030 2 tires Front  
7 23 80 4009 2 Tires Front  
7 25 80 9532 2 Tires Rear  
7 28 80 Check flat tire w of mass  
8 4 80 Put tire on Rim 16.5  
8 14 80 Put Tire on Rim 16.5 v. 1185.  
8 13 80 Changed 1 tire for w off mass  
8 20 80 Fixed tire for Carmen  
8 21 80 Fixed tire for Cement mixer  
9 10 80 2 tires meal school  
9 14 80 3 tires meal school  
9 19 80 1598 Blew  
9 22 80 9765 Cruiser w of mass 2Tings  
10 9 80 Front Right 606  
10 10 80 1Tire U of mass  
10 14 80 Left front #9  
10 15 80 2 tubes for a moped  
10 15 80 Change 1 tire w of mass  
10 15 80 Plugged 1 tire rimmed  
10 19 80 2 tires U of mass  
10 21 80 LF tire Repair 606  
10 21 80 RR tire Repair 1816  
11 4 80 2 snow tires Rear 1810  
11 4 80 2 snow tires Rear 5549  
11 7 80 Change Tire Harbor  
Fixed 1 tire ocean

- 11 6 80 W of mass 9032 tires  
11 6 80 V of mass 9117 2 tires  
11 7 80 V of mass lawn mower tire fix  
11 7 80 # 1 new Tire and tube  
11 7 80 leaf Blower used tire tube  
11 10 80 Changed 1 Tire Yelverton  
11 12 80 2 used tires 1810  
11 17 80 V of mass 9532 2 tires  
11 17 80 V of mass 9720 2 tires  
11 19 80 V of mass 9745 2 tires  
11 19 80 V of mass 9719 2 tires  
11 19 80 V of mass 9031 2 tires  
11 19 80 V of mass Balance Eddie O'Connor  
11 24 80 Fixed tier for matorcel  
11 24 80 V of mass 9717 2 new front  
11 28 80 V of mass 9718 More Back to front 2 sm  
11 28 80 Fixed tire for Eddie O'Connor  
12 4 80 Put on 2 tires wood  
12 15 80 2 tires for Joe Jagny  
12 16 80 2 tires for Bill  
12 16 80 2 tires for Paul  
12 29 80 2 sno V of mass 9030 tires  
Repair 1  
1 12 81 changed 1 Repair 1 Fred  
1 12 81 Repair R1R 1820  
1 14 81 Repair 1 Tire Peter  
1 20 81 1 tire for wagon  
2 3 81 Fixed tire 1598  
2 13 81 Patch tire Butwickdale

1970 Sponten Dodge 51589  $\frac{1}{2}$  Ton Also

Received From Rutland

air cab. 59ts


Filtex 501 STP

Radiation cap

Engine

Tire size F78 X 16

8 11" no brakes added front  
per ad



Blue van S 1598

Air Filter 4C169 CW

1976 GMC Van Truck 2500 3/4 Ton

oil cap 5 gts STP 5025

Radiator

Engine 292 CW

Tire size 8.75 X 16.5

Received Oct 19 79 @ 22123

21280 Fix Rear Bumper and  
Side Panels new light reflectors  
Back into wall


8 21 80 25070 oil change grease  
oil Filter Checked Fast Idle.

9 19 80 Field flat on Road

12 8 80 Change tire from this truck back  
to 1919 Put it Right tire Back on

3 11 81 Fix Caster Jisher

8 27 81 27329 oil change Filter  
Greased all levels checked



Laundry Truck S1808

1970 Dodge 500

oil capacity 6 gts

Radiator 25 gts

Engine 318 cu in

Tire size 825 x 20

Last oil change Greased 7/12,78 17648

12/18/78 new spark Plugs

12/21/78 new Battery

1 30/79 new spark Plugs of left Bank  
shutting oil #3 cylinder Bad.

2 26/79 Took Thermostat out add

2 gal anti Freeze and 2 gal water Broken  
Hose Clamp made leak

3 9/79 Valve cover Gasket on Left Bank  
new spark Plugs New Front Cylinders  
muffler, End shaft and Wangers clamps


4 - 79 did Valve Job try to get it going  
needed Ring Gear Ball Wrong size Got  
Ring Gear in, Started engine good in  
August But needed Vacuum Boosted  
Received Vacuum Boosted 12.6.79 all  
in running order


12 6/79 oil change Filter Grease

13 gts anti freeze 19460

36312

JAN 1





51009 AME Conect

1978 Band C #177

oil capacity 5 1/2 pints  
Radiatator hoses 1/4 in  
Eng 232 CID 6 cyl  
Tire size P 78 X 14

Gas tank

9/19/79 oil change changed 3557  
no grease fittings needs nine  
Put on grease fittings and greased  
new oil filter

9/20/79 Installed Radio

10/30/79 Returned from Kelly chamber  
motor Repair

11/30/80 oil change from 90 57  
filter

3/4/80 Firestone 2 new front tires balanced

5/30/80 Replaced Chassis & Spt lower  
molding

6/13/80 Firestone 2 new front tracks

14614

7/1/80 15/826 oil change filter  
Please all levels checked

12/4/80 21/136 oil change filter Please

12/24/80 Front & rear left new tires

1/2/81 new Battery

3/25/81 Return from auto body shop

7/14/81 30/677 oil change filter new block  
trans block leaked


6/30/81 26414 oil change Grease  
all levels checked


7/2/81 Bal front wheels

2 new front Goodyear tires

7/3/81 Installed siren and  
blow for emergency light

8/24/81 would not start took  
start off apparently stuck  
in battery





S1810 Recvd 5-29-71


1970 AMC Wagon

alt car 4 + 1

Radiator 69960

Eng 258 cu in

Wre size P195 x 75 R 14



Vets last change date		Chips to		
5/15/79	never			
5/15/79	7/18/79 25070	25789	11-1510	OK - 20
5/15/79	not used		7020 10500	- 20
5/15/79	7/18/79 15900	19419	10810	3533
5/15/79	7/18/79 35711	45584	20780	3673
5/15/79	7/29/79 1884 F	4630	20780	2750 <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">461</span> + 5
5/15/79	7/16/79 53342	56746	10780	3404 OK - 20
5/15/79	7/28/79 43727	46593		
5/15/79	7/16/79 43324 F	46500	10780	1677
5/15/79	3/25/79 29473 F	92400	10780	1925
5/15/79	2/14/79 50142	43060	670	2915
5/15/79	2/26/79 41968	5862	6011 <sup>10810</sup>	394
5/15/79	10/3/79 22352 F	21513	1221 <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">371</span>	5
5/15/79	2/5/79 56391	8248	101050	2773
5/15/79	2/20/79 33070	31453	101050	1793
5/20/79	2/13/80 46389 F			
5/21/79				
5/21/79	2/13/80 31375 F	32412	10810	1757
5/21/79	not used			OK - 20
5/21/79	6/12/80 1635 F	15900	10780	2355
5/21/79	never	00000	21000	2273F
5/21/79	7/18/80 33797 F	36262	10780	2463
5/21/79	7/18/80 30831	32676	10780	1522
5/21/79	never	390	10780	390

1	- 20	
2	- 25	
3	- 10	
4	- 20	
5	- 10	
6	- 20	
7	0	425
8	- 10	
9	0	425

1635  
12181  

---

1155

597.65 100 5 Nov 1963  
 0.1125. 597.19 100 5 Nov 1963  
 590.31 100 5 Nov 1963

Per \$2.50

Aspen Wagon 5/8/11

1930 Dodge Aspen  
oil capacity 5 gal 578 5014  
Brake Master Capacit  
Eng 222 cu in  
Tire size 19.5 x 14

7 29, 80 1884 oil filter change  
greased all levels Check Lights  
trans Cover

11, 13, 80 went to Chabot motor for trans.  
brake, and had to start they put new  
gasket in trans and fixed neutral switch  
must be Blew out for Hard start.

11, 19, 80 went to chabot for Head start  
KIT


12 3, 80 62-26 oil change filter greased  
all levels checked

5/81 12 181 oil change filter air  
filter greased all levels checked

7 11, 81 Vinced with accident  
Put back of Plug in Tires

8, 5, 81 16 369 oil change 7-16-  
Greased all levels checked

8 13, 81 Returned from Body Shop United  
Fixed Right tail light



Rec May 7 1981

Station Wagon 3/18/81

Ford 1981 LTD

oil capacity 4 + liters


Radiator 13 liters

Benz 5.0L or 302 cu in

Tire size 75R 14

Air Filter

6/18/81 2141 oil Filter Change  
Jewell 20 blocks check



Bus S 1813 1700

1973 Dodge Van Received 8/16/73  
oil capacity 5 qts S+P S+P  
Radiator capacity 16 qts  
Engin 3 18 Cu in  
Tire size 875 x 16.5

Last oil change greased 4/14/78 12680

12/9/78 oil change Greased Filter 27790

1/24/79 new Brake Pucks and turned  
Rotors added Fluid

1/25/79 new alternator Belt and  
Power steering Belt

4/9/79 oil change 50313 Mo manifold  
light side stand set flaps adjusted  
carburetor

5/31/79 New spark Plugs, cap, wires 31880

6/27/79 1400 new rear tires, repaired  
325 39

7/31/79 Replaced rear Brakes  
new drums

11/7/79 new snow tires


1/31/80 38524 oil change Grease Filter

3/25/80 Rebuilt Alternator charged  
Battery

7/2/80 43785 New Roto new pads  
New Plug Grease oil change, Filter  
all levels checked new muffler clamp

- 7 16 80 Put Paint and varnish on  
reinder. Fix 3 other side hatches  
3 1/2" and 3 cabinet meters for  
Power steering pump and super  
Power Recall all front and back  
drag arm released
- 9 17 80 cabinet meter turned Gas  
Gather stalled in off
- 11 4 80 Adjusted Emergency Brake
- 11 24 80 oil filter Change greased all  
brake Check
- 12 29 80 Went to Fred Price for Electric  
trouble now available after 1000 or more  
need a new ignition switch and bad  
wires on return from Blown Heater  
fan and tightening sheet on motor cable
- 1 27 81 Took Carburetor off went  
to Weaver shot spot Repairs also  
Put new Plys Wires and Roto  
before
- 2 11 81 Received Carburetor from Weaver  
& leaves
- 3 - 2 - 81 Tires V-Sault
- 3 25 81 Left Winona left rear  
6 22 81 3403 oil Change filter  
Grease all levels checked
- 7 5 81 Other door handle Wires  
off front passenger door cable

93,81 new muffle and Red Eye



# Station Wagon S1814

1974 Plymouth Satellite Dec 4, 1974  
oil capacity 4 qts + 1 for filter \$1.25  
Radiator Capacity 16 qts  
Engine 318 cu in.  
Tire size H78-14

Last oil change greased 130,75 30.05  
12/11/79 oil change & new filter 92.40  
2/7/79 New set of Spark Plugs 15.50  
3/5/79 Peplard starter brush  
3/20/79 47142 oil Change, Filter, Grease  
all levels checked, 2 ea Front shocks 2 ea  
Rear shocks, Complete Exhaust system, Rear  
Brake shoes Change front tires, Put in Radio  
charger, Put clamp on water tank  
8/7/79 adjusted Rear Brakes, Cleaned  
Front Plug checked front end a little  
Toe in no shimming tires good all winter  
checked front seat  
7/4/79 2 new front tires 52.75  
7/4/79 3 new rear run flat tires 52.95  
9/5/79 Tinton Falls and Clark  
9/17/79 New Filter air  
11/1/79 added 8 qts anti freeze  
1/17/80 57157 oil change to grease  
new plugs new Brake Pots front & rear  
4/23/80 new alternator - sol. new pump

- Steering Belt added water to Better  
Power steering fluid. Brake fluid  
new Poly Pads Hose and Clamps  
2 qt oil
- 7/16/80 63324 oil Filter change  
all levels checked
- 11/4/80 83000 miles Power Steering fluid  
fixed Power Steering fluid
- 12/3/80 66462 oil Filter change, 1st trans,  
fluid, Air Filter, all levels checked
- 12/30/80 Took front seat out to be  
recovered
- 1/16/81 Fixed Rear Tail Gate door would not  
lock
- 2/24/81 new Front Head light
- 3/23/81 2 new Front Regular tire
- 3/29/81 2 used and Rear tire
- 4-29-81 New Wiper Cam and Clips
- 4/30/81 Transmission seal


1/2 ton Pick up Truck S 1815 Engine 16m

Chevrolet 1967  
oil capacity 5 gts  
Radiator 13 gts  
Engine 292 Cu IN  
Tire size G 78-15

Exfilter 1616920

S.P. 5025

- Last oil change miles 9 876 36413  
12/11/78 oil change greased filter 82879  
1/4/79 New Battery fixed choke  
3/26/79 oil change filter greased  
adjusting knobs back to normal  
3/25/80 checked brakes - Change oil  
greased filter checked all levels 89475  
6/26/80 Replace 3 Exhaust Manifolds  
8/19/80 new Battery Cable to Starter  
11/20/80 new Fan Belt  
11/21/80 Traced fusible wire Pivotal  
12/3/80 93273 oil change filter greased  
new rear left lens  
12/7/80 went out for one shift button  
2/24/81 new car Roto Roof Condenser  
94291 miles  
3-19-81 Replace with new Exhaust pipe and muffler  
3/26/81 2 new Front tires  
4/9/81 turned Front drums and  
new Brake shoes  
7/8/81 Air Pollution Screen Fixed



Panel Truck S 1816

1973 Chevrolet Van  $\frac{3}{4}$  Received 2, 24, 73  
oil capacity 4 gts + 1 for filter SP 3041  
Radiator Capacity 11 gts.  
Engine 350 cu in  
Tire size G 11-15

- Last oil change Greased 8, 4, 77 21658
- 12 15, 78 Re built starter
- 12 11, 78 oil change Greased Filter 36215
- 12 27, 78 New Heater Core
- 1 30, 79 New Battery & Charge  $\frac{74}{74}$  lbs
- 3, 30, 79 Rebuilt rear motor Eng 33 12
- 5, 84, 79 Front motor
- 8 27, 79 oil change filter (second) oil's  
self-leveling
- 11 2, 79 Added 1 qt antifreeze
- 11 26, 79 new front disc brakes
- 11 30, 79 Installed 2 seats in  
body of truck
- 12 11, 79 Replaced rear left door window  
and catch
- 1 24, 80 new set of spark plugs
- 1 30, 80 New air filter
- 2 14, 80 40142 oil change Greased  
charged battery
- 3 19, 80 R front wheel fit cassette 16 12  
tire size on top

- 3 21 80 New R F tire  
4 11 80 Rebuilt starter  
5 26 80 Rebuilt Starter Plus 600 Cfm  
motor removed while trying to start  
5 30 80 Bleeding and fan belt  
12 5 80 43365 oil change Filter  
Greased  
6 12 81 3 new front tires oil change  
Battery tested all levels checked  
Fuel door 4 70 ft  
9 3 81 Complete Exhaust system  
Freeze Plug over Starter

State 1817 Dodge 1979 Crew Cab 3/4 Ton

5-9-79 - Headboard-trailer ball and carrier rack  
8 hrs labor

Revised 5-2-79

oil capacity 5 gal filter 579 miles

vehicle capacity 16.5 ft

Eng 315

Tire size 9.50 x 16.5 miles

Model D20

9-17-79 1975 oil change

Fuel and oil levels checked

2-12-80 Fixed Can Brake to Heavy use

2-26-80 oil change Grease filter

6-4-80 Fixed Left (Driver side)  
window

7-20-80 Fixed Brake line

10-22-80 oil change Grease filter  
cell levels checked 6654


1-29-81 Welded tailgate

1-30-81 Fixed Bomber and Rat  
tail gate one + more 2"

1-30-81 oil change Grease 6672

2-3-81 Fix Engine

9-3-81 8293 new muffler



# Dump Truck S 1815

1971 International 1700 Truck

oil capacity 8 gts + 1 with filter

Radiator Capacity 23 gts

Engine 392 CU IN

Tire size 900 X 20

Last oil change Jan 5, 16, 78 20375

1/16, 79 Fitt sande ladder and splash  
side bar Ram into it

1/18, 79 Towed by loverg to Int  
garage just find have trouble  
locations trouble fixed Blow spring  
welded Ram Bar. checked light  
new left head light

2/26/79 went dead again waited for jet  
found Ignition switch gone replaced  
3/15/79 fits brass bed 3 gts.

10/30/79 Put sande on Repaired  
Governor on sande to eliminate hot  
of head choke new Warner Governor  
all lights

10/31/79 oil change Filter Change greased  
all levels checked 22355 New Plugs

2/13/80 Fitt sande handle

2/19/80 Found flat tire turned left Bar

10/23/80 oil change filter greased  
all levels checked 22355

1781 Rebuilt Alternator  
and new Prime Electric.

11681 New wind shield with arms  
and blades

2581 Fire Extinguisher

# Food Truck S1879

1977 Dodge Cube Van

oil capacity 4 gts + 1 with filter STP 3016

Radiator Capacity 16 gts

Engine 3.18 cu in

Tire size 16.5 x 8.75

Last oil change grand 7/2, 7/5, 15/10

1/19/79 new spark plug and adjusted  
Carburetor needs new bushings

5/19/79 New water pump, carburetor, oil filter

5/24/79 fix steering 3749

9/19/79 new sniffer Complete System -

11/17/79 added 8 lbs anti freeze

2/5/80 5639 Crank case full of  
gas, changed oil filter, grease air  
filter, new fuel pump, new carburetor

4/30/80 rebuilt sticker

5/30/80 check motor for big gas  
plus other problems

12/8/80 8807 oil change, greased filter  
Took Valve Covers off looking for noise in valves  
Need Ply Wire cap Roto, Valve Gaskets

Change spare tire for worn one

Replaced New Plugs New Wires New Cap  
new Roto 2 Valve Cover Gaskets Made New  
Rear Bumper

12/10/80 - took Back up lights off  
old 1 can C D 2 for valve after  
3 6/81 Fine Enterprise  
4-12-81 New Muffler and tail Pipe  
oil Change general 9804 mi Blue  
lens on back  
8/27/81 Cleaned Plugs and changed  
distributor cap old one cracked  
9/2/81 2 used Red lenses

# Bush truck S1820

1972 Ford Dump 750

oil capacity 8 gts + 1 for filter 575

Radiator Capacity 24 gts

Engine 391 cu in

Tire size 9.00 x 20

Points 017 Gah

Last oil change grand 721,77 224.00

1/12/79 Fixed tail gate

2/8/79 Fixed tail gate had to move building

3/5/79 Fixed R/F tire flat

3/15/79 Fixed R/F tire flat fixed left  
Rear tire flat

7/15/79 Central motor bushing

Hoist Pump Repair

7/23/79 4 gts H/L oil pump

7/26/79 truck stalled gas and oil on

New gas & oil pump. Fuel tank cleaned  
for fuel no leak. New Fuel Pump

Changed oil filter over

Greased oil check hoses clean  
air filter with clean oil.

10/9/79 new muffler

12/13/79 Rebuilt starters

2/20/80 30000 oil change grand  
Fix pump for Plow

4/2/80 4 new Rear Tires 100x20

12/4/80 3/1836 oil Change filter cleaned

gas filter add grease trans.  
and Rear end  
12/15/81 new Point Plugs Condenser  
Cap Roto Wires

- 1/12/81 Replaced RK down the
- 2/11/81 Wasnt not start new battery  
Cable adjusted Points. Installed Fire  
Extinguisher
- 2/15/81 new Solenoid
- 3/17/81 new Plug
- 4/8/81 Went to J & D for Trans Open  
and Emergency Brake Cable
- 4/10/81 new Right directional signal
- 8/17/81 cleaned Plugs new Point  
Condensor, used cap, and Rotor

32076 GMC  
1½ Ton van 1971  
oil capacity 6 pts w filter  
Radiator  
Engine 350  
Tires 750 x 20

2/13/80 3/3/83 oil filter change  
greased all bushings checked  
need airfilter

July 1981 New water pump


11/2/82 10 pt antifreeze

12/5/80 3/26/86 oil Change Filter

Greased add 5 quarts oil

3/5/81 Fix leaking pipe


6/9/81 Change oil flat tire open



52114  
1979 Chevrolet 347 cu in V8.  
- 4 velocity 5 P  
- 5705029  
Automatic  
Engine 340 cu in  
Transmission 9150 x 10.5

Built Body

- 12/11/80 (12.80) oil change greased  
all levels checked  
2/2/81 Installed Fire Extinguisher  
8/5/81 oil change Filter greased  
all levels checked  
8/10/81 installed cigarette lighter



Blue Pick up S2115

1978 1/2 ton Ford Pick up

oil capacity 5 gts

STP 5.01

Radiator 14 gts

Engine 250 cu in.

Tire size H 78 - 15

Last oil change grand 11878 2557

32279 oil change grand " 4665

Bent flaps on

11. 10. 78 56922 mi road trip 5/12/78

8/11/79 engine oil grand 5,110 7,237

1,29,30 2 new front tires

2 480 9+0 front end and Balance

2 1280 fix transmission leak line  
coupling loosened up

6 1280 13435 oil change Filter tight

Valve cover leak new Roto and cap  
grand all levels checked


6 1680 new set of Cleef and  
Mount to End Piece for check up

12 580 17171 oil change Filter grand

1 2081 front antenna on Roof removed  
properly

2 281 head light burned

3-11-81 17203 oil change, Filter, Grease, Fix Engine



Chevrolet 54783 2 Ton model 50

11-2-79 ok

3-24-80 new tail gate switch

Oil capacity 5 qt Filter

Radiator


Engine. 360 cu

Tire size


8-29-80 new muffler Hangers Lampes  
and Police

3-31-81 New Fire Extinguisher


4-12-81 Changed oil and oil filter  
added Rear end and Trans Fluid  
Brake Fluid New shank Plug  
newly wire and filter to be greased  
9-2-81 Taped Ground Wire R Driktwood



- 1979 Fed 5545 1700  
Aug 1981  
Received from Scotland  
aircap 5 ft filter 51° S01  
Pentastar  
Engines 30000  
Tire no 875-1505  
filter 51° S01 and 3 ft  
8-19 32178 oil change Filter  
check checked greased  
9-8-81 new left signal parking light  
10-22-81 max cap new Poto New  
Plates 34971  
12-5-80 38178 oil change Filter Grease  
Taped oil check Pipe  
3-23-81 2 new front tires and tire  
extinguisher  
3-25-81 aligned and balanced 2+2  
5-19-81 444117 oil Change greased  
checked tanks for spent storage  
fill reservoir and tank  
9-2-81 49427 oil Change Filter  
greased all levels checked



- suspension
- 1977 Feb 20 5547  
Perry 100°F  
wind from North  
wind 5 ft/sec SFR 50  
wind  
Eng. 100°F  
Tire 100°F 15.5  
Air Filter C & D cleaned  
3750 3276 100% new  
oil and gear oil  
11480 2 new snow tires Rear  
12480 34591 oil change filter greased  
32381 tire extender  
32571 2 new front tires alignment  
J+D Unbalance balance  
42031 J+D Rear Brakes could  
not be because of no apel wrench  
5481 oil change filters greased  
all levels checked 39070  
9281 45693 oil change filter  
greased all levels checked



Received 11-22-80

S5942 1970 Dodge Ram Ambulance 1700

oil cap 6 ft wide 572 301


Radiator

Engine 3.8

Tire size 8.75 x 16.5


oil filter

6 1971 \$6.24 oil filter  
parts all funds checked



# 7 300 Tractor

- 11679 fixed snow blow sheared  
Bolt dead Battery flashing light  
left on
- 3 1579 Hydraulic hose to snow  
skidder
- 11 19, 79 oil change filter out  
snow blow rig
- 2 2980 Fixed Bearing and tombank  
and bearing 2 years up and down  
gear in trans scale. Bolt ends  
flat drawbar.
- 5 12 80 changed alternator
- 8 5 80 transferred to Grafton  
1st school
- 8-5-80 LOANED to Tufts Veterinary Hospital, No. Grafton
- 9 12 80 check oil leak left rear
- 11 780 new left front tire & tube
- 11 21 80 oil Filter change clean  
Rear snow blow rig on.
- 4-22-81 Bob 54474
- 6 9 81 oil Filter change



Pediatric Ceph 20% gts

## # 2 3616 Tractor

5/14/79 snap up you need a carburetor  
5/24/79 need Generator neck  
Power steering tube

9/17/79 2 new Pto water pump  
new Plug and filter and oil  
leaked air filter

9/24/79 2 new rear torsion and tubes

9/24/79 New Bolt and hole for Back  
pole

9/28/79 4 new Bucket Pins and 87kw  
Lower Bushings

11/1/79 added 10 gts anti freeze


6/7/80 the next day, 7 up Bucket  
pins, oil change Filter change  
blown Milton filtered ground

9/9/80 new front left tire

9/22/80 new points after they washed  
it going to Village farm for oil seal  
in R Bar cap

11/12/80 new wind shield lightened  
up Cabs lot of new bolts tightened  
hole at Filter change 1/2 hr full  
spaced out fully cleaned new

battery new cables new heater  
and Anti freeze new pump  
1/13/81 2 hours for an left




# 3 504 Tractor

11279 oil filter change cleaned  
Plugs new Point Cov. 3mas of  
new water Pump Tighten Bolt  
11279 added 3.25 enterprise

11279 new Battery

32480 new steering Joint

9/18/80 New steering wheel drilled  
at cast front wheel assembly  
new seal new gaskets



March 3, 1981.

Have fire extinguishers installed  
in the following vehicles.


State 2114	ok
State 2115	OK
State 1820 -	ok
State 1818	OK
State 1819	OK
State 5548	OK
State 5549	OK
State 4883	
<del>State 2006</del> 1817	OK
Sea far cruiser - 1814	OK

Thank you,  
Paul




use # 407018 R91 contact and condensor  
same as 12 volt cub, #4 only  
# 4 504 Tractor

- 5/18/79 clean carburetor & new spark plug  
7/23/79 clean Plugs new Amunt  
condenser Repairs to Distributor  
oil Change filter New Pen jacket  
changed Hydraulic Filter  
11/2/79 added 1st antifreeze  
4/16/80 Writen Cab Adjusted  
Litht Fwd Left Brake adjuster and  
adjusted Brakes  
9/25/80 Reban Pow on Table of Handel  
Tighten Hydraulic Pump shaft gear  
12/15/80 oil filter change greased  
12/26/80 change oil in air filter and  
oil Change and filter



- # 5 606 Tractor
- 1 16 79 new left front shovel  
and tube
- 7 13 79 new Pto cable  
Tube
- 7 23 79 PTO to Chillicothe farm  
Repairs.
- 7 24 79 Bent cylinder rod  
Dodge Filter lighter 1/2" New  
Plyco charged Wynn's Filter
- 8 27 79 New feed hose down
- 10 31 79 took apart found need Bushing  
Plate Clutch throw out Bearing Pilot  
Bearing
- 12 4 79 New Power take off shaft  
Clutch, Pilot Bearing, Pressure Plate  
O ring, Bearing, New Power  
stem nose.
- 5/20/80 New battery cables and recharged battery
- 5 22 80 new front left Tire
- 9 21 80 new Fan Belt
- 1 20 80 Change oil filter, Replace  
Blow Rig on man basket



# 6 340 Tractor


11 27 79 new Ballers

10 28 80 oil Change Filter  
Air filter Change Blew Banks  
and adjusted Trunk to show  
at deck

11 19 80 new Carburetors and choke  
wire fixed two triflipper blades

11 24 80 checked Generator out  
new Tungsten Point Stock in  
Regraters


11 6 81 new RR tire and tube



Radiator cap 10 3/4 qt

## # 7 Cub Tractor

- 3/7/79 New Right front tire + tube  
5/14/79 New Governor spring  
5/31/79 New clutch spring  
7/12/79 New Points Cond. Plus TN  
water hose oil filter change  
greased.  
11/1/79 added 5pts anti-freeze  
12/11/79 Left front tire  
12/21/79 welded steering shaft  
greased  
4/7/80 Took winter equipment &  
change oil filter greased breakers  
all levels  
8/9/80 Put on Rotary mower  
6/4/80 Changed oil filter  
Greased tipper mower basket  
checked all levels  
5/1/81 Change oil filter  
11/19/80 w/g anti-freeze oil change  
filter transmission breaker  
5/13/81 new Fan hub static bearing  
5/19/81 Took static to the repair  
for repair  
6/9/81 oil filter change




# 8 340 Tractor

For field & Pasture - 7 1/2 H.P.

Loaned to Tufts Veterinarian School -

729 Fixed Electric



Radiator Cap 10 3/4 qts

# 9 Cub Tractor

11 27 79 added 3 qt antifreeze

11 20 79 oil filter change

Put screw slow sign

4 7 80 Took off winter Equipment

Changed oil Greased all levels checked

4 8 80 Put on Rotory mower

6 2 80 Change oil Filter air filter  
tire guard off of Radiator Blew out  
Grease all levels checked

8 18 80 new Plugs Paints Condensor  
Cleaned Carbator New Blades on  
mower new wheels on mower Fired  
Throttle


9 12 80 New Right Rear tire

9 23 80 New muffler

11 17 80 4 anti freeze change oil  
filter choke brasses

5 11 81 new Generator Belt

5 20 81 new Fan Hub New Fan Bkt  
new drive in starter



- 9032 UofMass Change left front  
9720 U of mass Repair front left  
2 tires fixed values Louisville  
1810 Change front tire  
Fixed tire for Bill  
Fixed tire for Dick B.  
Fixed tire for Tom M.V. W.  
Fixed tires 2 for Dick B.  
2 tires 1814 Rear  
2 tires 1810 rear  
2 tires 5544 Front  
2 tires 5549 front  
2 tires 1815 front  
1 tire for Danny  
1 tire Fix Velvetone  
2 tires 1814 rear  
2 tires for U. Mass. 4-14-81  
2 tires for John G. 4-16-81  
1 tire Danney U. Mass. 4-17-81  
1 tire Cluckie U Mass 4 27 81  
1 tire Repair UMass 4 29 81  
2 tires Wally Bryant 4 29 81  
1 tire Chang Harrison 5 11 81  
1 tire Rehan Newton 5 11 81  
4 tires off for Uofmass 9717 5/28/81  
4 tires off for U of mass 9720 5/28/81  
1 WhelBoro tire Peterson 5/29/81  
2 Tires 5/21/81 52281  
1 Tires 7/21 Paul 52981

- 2 tires 6/2/81 lion  
1 tire 6/4/81 wof mass  
4 tires 5/21/81 6,881  
1 Fix 1 Tire Wof mass  
3 Tires Dick Eng Room  
1 Tire Change Balwin 6  
2 new Front tires + tubes 1818 7,681  
2 Tires 6/5/81 7/13/81  
1 tire fixed 5/18/81 7/13/81  
Put about 24 Plugs in Holes from  
nails from strike
- 7/21/81 4 Tires or and off Bruns Butterkuss  
7/21/81 Patch tire for semi trailer  
7/29/81 Fixed flat #1  
8/4/81 Tire for Butterkuss Hay boulder  
8/4/81 Tire for PAP Van mass  
8/17/81 & 8 Tire